

DOMOFERM

Doors and Frames

Allround / Fire



a company of **DOMOFERM** International



DOMOFERM



Thin rebated door-elements

Thin rebated door-elements are low-priced door-elements which are less used in the living area but in subordinated rooms such as boiler-rooms, cellar-walks and in working or industrial areas.

Advantages as hard as steel.

DOMOFERM International is the European market-leader in the area of steel frames and one of the leading manufacturer of steel- and fire-protective doors.

From perfect design with many equipment options to unsurpassable durability: products by DOMOFERM are unique and offer advantages as hard as steel.

If custom measured or standardised – doors and frames by DOMOFERM come up to highest demands.

„Fire“ is our label for fire-protective door-elements, „Allround“ we call steel door-elements without fire-protective options.

DOMOFERM ECONOMY – LF5xx the practical one

You are looking for safetiness in areas where it is asked first? Just in case, you will be on the safe side with fire-protective doors by DOMOFERM. Especially in rather endangered areas you should not disclaim!

But this kind of protection needn't be expensive! The very solid fire-protective door-element **ECONOMY** offers you the necessary but low-priced safetiness in subordinated, less frequented parts of buildings. **ECONOMY** is very practicable for boiler-rooms, garages, cellar-walks, engine-rooms, etc.

- type "fire" (fire-protection class T30, T 60, T90 and T120)
 - 52 mm and 64 mm thickness of door-leaf respectively
 - 2 sided thin rebate
 - left and right sided usage
 - single leaf standard size
- surface: STANDARD (prime painted)



> The one that stands firm.



DOMOFERM SELECTION – LF6xx the reliable one

You are in the need of a low-priced steel door-element, equipment option „fire-protective“ without disclaiming other equipment options such as different surfaces, glass openings or louver grills? The **SELECTION** is at your choice.

Thanks to its 64 mm thickness of door leaf, **SELECTION** is very resistant and suitable for application in the private area, office- and industrial area.

- type "Allround" or "Fire" (fire-protection T30, T90)
 - 64 mm thickness of door-leaf
 - 3 sided thin rebate
 - left or right sided usage
 - single and double leaf custom dimension
 - miscellaneous equipment options
- surface: STANDARD (prime painted)
PRISMA® (RAL powder coated)

> That's the point, isn't it.

Thick rebated door-elements


Solid and hard-wearing thick rebated door-elements convey home style and accommodate perfectly to each area of your house.

DOMOFERM UNIVERSAL – UT4xx the imaginative one

You want to arrange your home in individual style? **UNIVERSAL** doors fit to your conception! With surfaces such as STANDARD (prime painted), PRISMA® (RAL-powder coated), PLATAL® (PVC-coated) or STAINLESS (high-grade steel) **UNIVERSAL** fire-protective and steel door-elements fulfill all desires.

The great number of possible variations and combinations – colour, glass openings, glass design and handle sets – leads to no limits in ideas and conception. **UNIVERSAL** is suitable for application in internal area, from the living-room, kitchen, bathroom to the cellar. It's up to your creativity!

- type "Allround" or "Fire" (fire-protective, T30) – just in case of single wing
 - thick rebated door-element
 - 40mm thickness of door-leaf
 - single and double wing standard size and custom dimension
 - great number of equipment options
 - single leaf also in type heat isolation
 - single leaf with option higher sound proof
 - single leaf also in variation burglar retardand (security-door NOVOLOCK®)
 - great number of wall- and frame connection
- surface:
- STANDARD (prime painted)
 - PLATAL® (PVC-coated in wooden decoration)
 - PRISMA® (RAL-powder-coated)
 - STAINLESS (high-grade steel) – actually deliverable as fully door leaf



> No wishes left in abeyance.




DOMOFERM PRESTIGE – UT6xx the robust one

You are looking for a robust door of unlimited service life that is not missing any esthetic aspects? A door that represents long-term elegance despite of high-duty? **PRESTIGE** offers you a perfect, architectonic solution – an attractive but robust door-construction for highly frequented areas.

Where higher demands are expected, **PRESTIGE** – with 64 mm thickness of door-leaf – is the model of your choice. A great number of equipment options lead to variety within a trendy home-style as well as in project- and industrial areas.

- type "Allround" or "Fire" (fire-protective T30, T90)
- thick rebate door-element
- 64mm thickness of door-leaf
- single and double wing custom dimension
- options of glass openings
- great number of equipment options
- installation of complex monitoring-systems optional
- great number of wall- and frame connection
- also available in type "flush"

- surface:
- STANDARD (prime painted)
 - PLATAL® (PVC-coated in wooden decoration)
 - PRISMA® (RAL-powder-coated)
 - STAINLESS (high-grade steel)



also available in type "flush"

> Quality forever.

DOMOFERM FRAMES – the durable ones

Frames of highest quality, perfect to meet any esthetic or constructive requirement

Always the perfect connection

DOMOFERM state-of-the-art frames meet highest quality requirements. Whether corner-, surround- or blind groove frame, single or double rebated, for single or double wing door leafs: DOMOFERM – the major manufacturer of frames in Europe – offers the best solution for every application area.


DOMOFERM frames are ideal for dry completion of the interior and available in numerous sizes and profile types as well as made to measure for special requirements.

Precision for highest demands: DOMOFERM steel frames – made of galvanised quality steel – accept every challenge. A vast number of profile types guarantees the best overall solution for every application area. You are looking for special solutions which are not off-the-shelf? DOMOFERM offers solutions even in this case: we execute your ideas in our extensive special frame program, always keeping an eye on the cost to performance ratio.

- corner frames and surround frames (equal and different faced)
 - single wing or double wing
 - for wall- or dowel mounting, shell construction, gypsum plaster board wall installation and as frame for mounting in front of wall
 - renovation frames without floor inserts prepared for screw mounting
 - frames for burglar retardant door leafs
 - numerous profile types and equipment options
 - custom made solutions produced on request
- surface: galvanised steel
 STANDARD (prime painted)
 PRISMA® (RAL-powder-coated)
 STAINLESS (high-grade steel)



> Meeting every challenge.



single wing

A-frame
single wing with
horizontal transom

H-frame
single wing with
horizontal transom,
room high

window frame
on 4-sides around

double wing

custom made frame


Individual creativity for interior decoration

However you are going to paint your rooms: doors by DOMOFERM are always suitable.

Steel-doors and frames with **PRISMA**®-surface are anodized and powder-coated. Their structure is plain and due to UV-stability **PRISMA**®-surfaces do not yellow. Frame, door-leaf, handle set and glass slate harmonize in colour or show attractive contrasts. From our low-priced basic model in bright pure white to a great number of wanted tones within the RAL-colour-scale, the **PRISMA**®-surface convinces by immense variety.



DOMOFERM offers you PVC-coated **PLATAL**®-doors in wooden decoration, which won't come off the hinges also in case of roughest conditions. Bubble formation, weathering or surfaces' wear out is nearly impossible – there will be no need to paint or stain also after years of usage.



light oak

beech

elm

mahogany

Doors and frames produced in **STAINLESS** place visual emphasis differently in high-grade steel. These products are also used in case of moisture and aggressive surroundings as well as on locations where you demand a very high degree of purity.

Steel-doors with **STANDARD**-surface are prime painted RAL 9010 (white) and frames RAL 9002 (white-grey).

Please note that the product range and specified certifications stated in this folder refer to the Austrian market.

a company of **DOMOFERM International**